

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((limit\$4 adj amplifier) ((peak near detect\$4) with voltage) bias impedance capacitance data rate). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 13:47
L2	3249	375/316,345.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L3	892	323/208,209,218,233,364.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L4	1952	326/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L5	481	327/330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L6	2507	330/282,292,167,189,196.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L7	248	379/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L8	9306	L2 L3 L4 L5 L6 L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
L9	1	1 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:47
S1	36	(fratti near roger).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:03

S2	14	impedance and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:03
S3	4	peak and impedance and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:06
S4	2916	375/316,345.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:10
S5	875	323/208,209,218,233,364.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:11
S6	1790	326/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:11
S7	478	327/330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:11
S8	2479	330/282,292,167,189,196.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:13
S9	243	379/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:14
S10	8759	S4 S5 S6 S7 S8 S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:14
S11	51457	impedance and capacitance and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:14
S12	840	impedance and capacitance and amplifier and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:14

S13	43821	peak near detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:14
S14	34	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:27
S15	124753	data near rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:28
S16	84	S12 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:32
S17	1589039	impedance (match\$4 mismatch\$4 mis-match\$4 (mis adj match\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:42
S18	129191	S17 same amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:37
S19	4355	S18 and (peak near detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:33
S20	1523	S19 and capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:33
S21	61299	impedance near (match\$4 mismatch\$4 mis-match\$4 (mis adj match\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:33
S22	261	S21 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:36
S23	25301804	@ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:10

S24	203	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:36
S25	1284	S17 same amplifier same (peak near detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:37
S26	46	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:37
S27	10234	impedance with (match\$4 mismatch \$4 mis-match\$4 (mis adj match\$4)) with amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/05 20:42
S28	47	(impedance with (match\$4 mismatch \$4 mis-match\$4 (mis adj match\$4)) with amplifier) same (peak near detect \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:10
S29	4354	(impedance with (match\$4 mismatch \$4 mis-match\$4 (mis adj match\$4)) with amplifier with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:11
S30	461	capacitance same S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:11
S31	97659	data adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:11
S32	17	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:20
S33	7240	limit\$4 adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:20
S34	55878	impedance near match\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:21

S35	968065	capacitor capacitance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:21
S36	134033	level near detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 10:21
S37	46	S33 S34 S35 S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/06 10:21
S38	1995	((peak adj detect\$4) with voltage) and impedance and amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 12:13
S39	110	((peak adj detect\$4) with voltage) and impedance and (limit\$4 adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 12:14
S40	44	((peak adj detect\$4) with voltage) same (limit\$4 adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:22
S41	22	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 13:06
S42	436	375/130-377.ccls. and (limiting adj amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 13:07
S43	102	375/130-377.ccls. and (limiting adj amplifier) and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 13:10
S44	53	S43 and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/06 13:11
S45	88	amplifier and (oc192 (oc adj "192")) and voltage and capacit\$5 and load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 06:22

S46	25377261	@ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 06:23
S47	70	S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:20
S48	18601	low adj noise adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:08
S49	92644	ghz ((oc adj "192") oc192)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:21
S50	5620	S48 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:21
S51	25377261	@ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:21
S52	3563	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:21
S53	20165	((level peak) adj detect\$4) with voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:22
S54	60	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 07:22
S55	18601	low adj noise adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:08
S56	1006265	capacitance capacitor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:08

S57	2329	oc192 (oc adj "192")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:09
S58	12359	("10" "11" "12") adj ghz	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:09
S59	14426	S57 S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:09
S60	408	S55 S56 S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/26 17:10
S61	25377261	@ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:10
S62	285	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:10
S63	181	bias and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:11
S64	305026	voltage with amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:11
S65	108	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:15
S66	2	S57 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:16
S67	10	S55 and S57 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:21

S68	2	("6628170").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/26 17:25
S69	7949	limit\$4 adj (amp amplifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:25
S70	140031	level near detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:26
S71	315	S64 S69 S70 S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/26 17:27
S72	235	S56 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/26 17:27
S73	97985	ghz gbps	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:27
S74	29	S72 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 17:27
S75	2	("20040012446").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/16 12:35
S76	5609	amplifier and (peak near detect\$4) and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:25
S77	14280	impedance near (minimiz\$4 reduc\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:25
S78	32	capacitance near (peak near detect \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:26

S79	27739705	@ad<"20040106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:26
S80	343	capacitance with (peak near detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:26
S81	3	S76 S77 S79 S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 12:26
S82	61	S76 S77 S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 12:30
S83	119070	detect\$4 near voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 12:30
S84	20	S82 S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 12:31
S85	1	((limit\$4 adj amplifier) ((peak near detect\$4) with voltage) bias impedance capacitance data rate). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 12:47
S86	3249	375/316,345.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S87	892	323/208,209,218,233,364.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S88	1952	326/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S89	481	327/330.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48

S90	2507	330/282,292,167,189,196.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S91	248	379/30.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S92	9306	S86 S87 S88 S89 S90 S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S93	1	S85 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:48
S94	0	("2005/0147185").URPN.	USPAT	OR	ON	2008/02/25 12:49
S95	2	("20040012446").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 12:50
S96	491	rf near micro near device	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:53
S97	6	S76 S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/02/25 12:54
S98	2	S79 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 12:54
S99	18	("5179353" "5451901" "6208209"). PN. OR ("6525611").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/25 13:02
S100	16	("5083096" "5543760" "5903192" "6459340" "6525611").PN. OR ("6720831").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/25 13:02
S101	27	S99 S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:02
S102	89604	amplifier and detect\$4 and bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:03

S103	12	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/25 13:03
------	----	---------------	--	----	----	---------------------

2/ 25/ 08 1:48:19 PM

C:\ Documents and Settings\ SAhn\ My Documents\ EAST\ Workspaces\ 10751534.wsp